

Schematics Book

- Tracks
- Frames
- Rollers
- Seals
- Hardware
- Retractable Insect Screens







Table of Contents

Schematics of Top Tracks, Bottom Tracks, and Side Frames By System & Track Type

FoldA Aluminum 54	Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))	2
	Track Type 10 - Automotive Track (0 AZON (Top)/ 0 AZON (Bottom))	3
	Track Type 12 - Freeway Track (0 AZON (Top)/ 0 AZON (Bottom))	4
	Track Type 13 - HD Track (0 AZON (Top)/ 0 AZON (Bottom))	5
FoldA Aluminum 57	Track Type 2 - Standard Combo Track (1 AZON (Top)/ 1 AZON (Bottom))	6
	Track Type 3 - Standard Combo Track (1 AZON (Top)/ 2 AZONs (Bottom))	7
	Track Type 11 - Automotive Track (1 AZON (Top)/ 0 AZON (Bottom))	8
	Track Type 14 - HD Track (0 AZON (Top)/ 1 AZON (Bottom))	9
	Track Type 15 - HD Track (0 AZON (Top)/ 2 AZONs (Bottom))	10
FoldA UPVC 66	Track Type 4 - Standard UPVC Track (0 AZON (Top)/ 0 AZON (Bottom))	11
	Track Type 5 - Standard UPVC Track (1 AZON (Top)/ 2 AZONs (Bottom))	12
FoldA Elevate	Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))	13
FoldA Serenity	Track Type 6 - Surface Mount Track (0 AZON (Top)/ 0 AZON (Bottom))	14
	Track Type 17 - Surface Mount Bottom Track with HD Top Track (no AZON)	15
	Track Type 7 - Surface Mount Track (1 AZON (Top)/ 0 AZON (Bottom))	16
	Track Type 18 - Surface Mount Bottom Track with HD Top Track (with AZON)	17
	Track Type 8 - Minimal Recess Track (0 AZON (Top)/ 0 AZON (Bottom))	18
	Track Type 19 - Minimal Recess Bottom Track with HD Top Track (no AZON)	19
	Track Type 9 - Minimal Recess Track (1 AZON (Top)/ 0 AZON (Bottom))	20
	Track Type 20 - Minimal Recess Bottom Track with HD Top Track (with AZON)	21
FoldA ClearView	Track Type 16 - ClearView Track (0 AZON (Top)/ 0 AZON (Bottom))	22
FoldA Aesthetic		23
	Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))	2
	Track Type 2 - Standard Combo Track (1 AZON (Top)/ 1 AZON (Bottom))	6
	Track Type 3 - Standard Combo Track (1 AZON (Top)/ 2 AZONs (Bottom))	7
	Track Type 10 - Automotive Track (0 AZON (Top)/ 0 AZON (Bottom))	3
	Track Type 11 - Automotive Track (1 AZON (Top)/ 0 AZON (Bottom))	8
	Track Type 12 - Freeway Track (0 AZON (Top)/ 0 AZON (Bottom))	4
	Track Type 13 - HD Track (0 AZON (Top)/ 0 AZON (Bottom))	5
	Track Type 14 - HD Track (0 AZON (Top)/ 1 AZON (Bottom))	9
	Track Type 15 - HD Track (0 AZON (Top)/ 2 AZONs (Bottom))	10
Rollers by Track Type		24-25
Seals	Extreme Weather Seals	26
	Wind Flanges	27
Hardware	Entrance Set Mortise Lock	28
	Low Profile Lever Handle	29
	D-Handle	29
	Hoppe Handle	30
	Commercial Entrance Handle	31
	Commercial Deadbolt	32
	Assa Abloy Smart Lock	33
Retractable Insect Screens	EZ Euro Screen	34
	Techroll Insect Screen	35

FoldA Aluminum 54

Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))




Weep holes installed by others as needed.

Note. Measurements in square brackets [] are expressed in millimeters.

Also available for FoldA Aesthetic.

FoldA Aluminum 54

Track Type 10 - Automotive Track (0 AZON (Top)/ 0 AZON (Bottom))







Also available for FoldA Aesthetic.

Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Aluminum 54

Track Type 12 - Freeway Track (0 AZON (Top)/ 0 AZON (Bottom))







Weep holes installed by others as needed.

Note. Measurements in square brackets [] are expressed in millimeters.

Also available for FoldA Aesthetic.

FoldA Aluminum 54

Track Type 13 - HD Track (0 AZON (Top)/ 0 AZON (Bottom))




Note. Measurements in square brackets [] are expressed in millimeters.


Also available for FoldA Aesthetic.

FoldA Aluminum 57


Track Type 2 - Standard Combo Track (1 AZON (Top)/ 1 AZON (Bottom))




Top Track



Side Frame



Door Frame



Bottom Track

Weep holes installed by others as needed.

Also available for FoldA Aesthetic.

Note. Measurements in square brackets [] are expressed in millimeters.



EZ-FOLD-A-DOOR


Transform your space
A FOLD at a Time

Specifications and details subject to change without notice.


www.ezfoldaddoor.com

FoldA Aluminum 57


Track Type 3 - Standard Combo Track (1 AZON (Top)/ 2 AZONs (Bottom))




Top Track



Side Frame



Door Frame



Bottom Track

Weep holes installed by others as needed.

Also available for FoldA Aesthetic.

Note. Measurements in square brackets
[] are expressed in millimeters.



EZ-FOLD-A-DOOR


Transform your space
A FOLD at a Time

Specifications and details subject to change without notice.


www.ezfoldadoor.com

FoldA Aluminum 57


Track Type 11 - Automotive Track (1 AZON (Top)/ 0 AZON (Bottom))




Top Track



Side Frame



Door Frame



Bottom Track

Weep holes installed by others as needed.

Note. Measurements in square brackets [] are expressed in millimeters.



EZ-FOLD-A-DOOR


Transform your space
A FOLD at a Time

Specifications and details subject to change without notice.

www.ezfoldadoor.com

FoldA Aluminum 57 / FoldA Aluminum 57 - HW

Track Type 14 - HD Track (0 AZON (Top)/ 1 AZON (Bottom))




Weep holes installed by others as needed.

Also available for FoldA Aesthetic

Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Aluminum 57 / FoldA Aluminum 57 - HW

Track Type 15 - HD Track (0 AZON (Top)/ 2 AZONs (Bottom))




Weep holes installed by others as needed.

Also available for FoldA Aesthetic


Note. Measurements in square brackets [] are expressed in millimeters.

FoldA UPVC 66


Track Type 4 - Standard UPVC Track (0 AZON (Top)/ 0 AZON (Bottom))




Top Track



Side Frame



Door Frame




Bottom Track

Weep holes installed by others as needed.


Note. Measurements in square brackets [] are expressed in millimeters.

FoldA UPVC 66


Track Type 5 - Standard UPVC Track (1 AZON (Top)/ 2 AZONs (Bottom))




Top Track



Side Frame



Door Frame



Bottom Track

Weep holes installed by others as needed.

Note. Measurements in square brackets [] are expressed in millimeters.



EZ-FOLD-A-DOOR


Transform your space
A FOLD at a Time

Specifications and details subject to change without notice.

www.ezfoldadoor.com

FoldA Elevate


Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 6 - Surface Mount Track (0 AZON (Top)/ 0 AZON (Bottom))



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 17 - Surface Mount Bottom Track with HD Top Track (no AZON)



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 7 - Surface Mount Track (1 AZON (Top)/ 0 AZON (Bottom))



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 18 - Surface Mount Bottom Track with HD Top Track (with AZON)



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 8 - Minimal Recess Track (0 AZON (Top)/ 0 AZON (Bottom))



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 19 - Minimal Recess Bottom Track with HD Top Track (no AZON)



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Serenity


Track Type 9 - Minimal Recess Track (1 AZON (Top)/ 0 AZON (Bottom))



Note. Measurements in square brackets [] are expressed in millimeters.


FoldA Serenity

Track Type 20 - Minimal Recess Bottom Track with HD Top Track (with AZON)



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA ClearView



Note. Measurements in square brackets [] are expressed in millimeters.

FoldA Aesthetic

Track Type 1 - Standard Combo Track (0 AZON (Top)/ 0 AZON (Bottom))
: Refer to page 2.

Track Type 2 - Standard Combo Track (1 AZON (Top)/ 1 AZON (Bottom))
: Refer to page 6.

Track Type 3 - Standard Combo Track (1 AZON (Top)/ 2 AZONs (Bottom))
: Refer to page 7.

Track Type 10 - Automotive Track (0 AZON (Top)/ 0 AZON (Bottom))
: Refer to page 3.

Track Type 11 - Automotive Track (1 AZON (Top)/ 0 AZON (Bottom))
: Refer to page 8.

Track Type 12 - Freeway Track (0 AZON (Top)/ 0 AZON (Bottom))
: Refer to page 4.

Track Type 13 - HD Track (0 AZON (Top)/ 0 AZON (Bottom))
: Refer to page 5.


Track Type 14 - HD Track (0 AZON (Top)/ 1 AZON (Bottom))
: Refer to page 9.

Track Type 15 - HD Track (0 AZON (Top)/ 2 AZONs (Bottom))
: Refer to page 10.

Rollers by Track Type




System	Track #	Track Description	Page #
FoldA Aluminum 54	Type 1	Standard Combo Track 0 AZON (Top) / 0 AZON (Bottom)	p.2
FoldA Aluminum 54	Type 10	Automotive Track 0 AZON (Top) / 2 AZONs (Bottom)	p.3
FoldA Aluminum 57	Type 2	Standard Combo Track 1 AZON (Top) / 1 AZON (Bottom)	p.6
FoldA Aluminum 57	Type 3	Standard Combo Track 1 AZON (Top) / 2 AZONs (Bottom)	p.7
FoldA Aluminum 57	Type 11	Automotive Track 1 AZON (Top) / 2 AZONs (Bottom)	p.8
FoldA UPVC 66	Type 4	Standard UPVC Track 0 AZON (Top) / 0 AZON (Bottom)	p.11
FoldA UPVC 66	Type 5	Standard UPVC Track 1 AZON (Top) / 2 AZONs (Bottom)	p.12
FoldA Elevate	Type 1	Standard Combo Track 0 AZON (Top) / 0 AZON (Bottom)	p.13
FoldA Aesthetic	Type 1	Standard Combo Track 0 AZON (Top) / 0 AZON (Bottom)	p.2
FoldA Aesthetic	Type 2	Standard Combo Track 1 AZON (Top) / 1 AZON (Bottom)	p.6
FoldA Aesthetic	Type 3	Standard Combo Track 1 AZON (Top) / 2 AZONs (Bottom)	p.7
FoldA Aesthetic	Type 10	Automotive Track 0 AZON (Top) / 2 AZONs (Bottom)	p.3
FoldA Aesthetic	Type 11	Automotive Track 1 AZON (Top) / 2 AZONs (Bottom)	p.8



System	Track #	Track Description	Page #
FoldA Aluminum 54	Type 13	HD Track 0 AZON (Top) / 0 AZON (Bottom)	p.5
FoldA Aluminum 57	Type 14	HD Track 1 AZON (Top) / 1 AZON (Bottom)	p.9
FoldA Aluminum 57	Type 15	HD Track 1 AZON (Top) / 2 AZONs (Bottom)	p.10
FoldA Aluminum 57 - HW	Type 14	HD Track 0 AZON (Top) / 1 AZON (Bottom)	p.9
FoldA Aluminum 57 - HW	Type 15	HD Track 0 AZON (Top) / 2 AZONs (Bottom)	p.10
FoldA Aesthetic	Type 13	HD Track 0 AZON (Top) / 0 AZON (Bottom)	p.5
FoldA Aesthetic	Type 14	HD Track 1 AZON (Top) / 1 AZON (Bottom)	p.9
FoldA Aesthetic	Type 15	HD Track 1 AZON (Top) / 2 AZONs (Bottom)	p.10
FoldA ClearView	Type 16	ClearView Track 0 AZON (Top) / 2 AZONs (Bottom)	p.22


Rollers by Track Type



Top Roller
(2 stainless
steel bearings)

Bottom Roller
(6 stainless
steel bearings)


System	Track #	Track Description	Page #
FoldA Serenity	Type 6	Surface Mount Track 0 AZON (Top) / 0 AZON (Bottom)	p.14
FoldA Serenity	Type 7	Surface Mount Track 1 AZON (Top) / 0 AZON (Bottom)	p.16
FoldA Serenity	Type 8	Minimum Recess Track 0 AZON (Top) / 0 AZON (Bottom)	p.18
FoldA Serenity	Type 9	Minimum Recess Track 1 AZON (Top) / 0 AZON (Bottom)	p.20



Top Roller
(8 stainless
steel bearings)

Bottom Roller
(6 stainless
steel bearings)

System	Track #	Track Description	Page #
FoldA Serenity	Type 17	Surface Mount Bottom Track with HD Top Track no AZON	p.15
FoldA Serenity	Type 18	Surface Mount Bottom Track with HD Top Track with AZON	p.17
FoldA Serenity	Type 19	Surface Mount Bottom Track with HD Top Track no AZON	p.19
FoldA Serenity	Type 20	Surface Mount Bottom Track with HD Top Track with AZON	p.21




Top Roller
(8 stainless
steel bearings)

Bottom Roller
(2 stainless
steel bearings)

System	Track #	Track Description	Page #
FoldA Aluminum 54	Type 12	Freeway Track 0 AZON (Top) / 0 AZON (Bottom)	p.4
FoldA Aesthetic	Type 12	Freeway Track 0 AZON (Top) / 0 AZON (Bottom)	p.4




Extreme Weather Seals




Note. Measurements in square brackets [] are expressed in millimeters.

Wind Flanges



Wind Flange for Aluminum




Wind Flange for UPVC

Note. Measurements in square brackets
[] are expressed in millimeters.




Entrance Set Mortise Lock




Note. Measurements in square brackets [] are expressed in millimeters.

Low Profile Lever Handle




D-Handle




Note. Measurements in square brackets [] are expressed in millimeters.

Hoppe™ Handle

Tôkyô
HOPPE aluminium lockable
turn/tilt handle
with Secu100®



London
HOPPE aluminium
lockable turn/tilt handle
with Secu100®




Variety of Hoppe handles available.

Note. Measurements in square brackets
[] are expressed in millimeters.


Hoppe is a trademark of Hoppe Holding AG.

Commercial Deadbolt



Note. Measurements in square brackets
[] are expressed in millimeters.

Commercial Entrance Handle




Variety of commercial entrance handles available.

Note. Measurements in square brackets
[] are expressed in millimeters.

Assa Abloy™ Smart Lock

ESA500



Dimensions (inch): 12.28 x 1.61 x 0.39/0.79 (H x W x D)

Dimensions (mm): 312 x 41 x 10/20 (H x W x D)

Variety of ASSA ABLOY smart locks available.

Assa Abloy is a trademark of Assa Abloy AB.



EZ-FOLD-A-DOOR


Transform your space
A FOLD at a Time

Specifications and details subject to change without notice.
www.ezfoldadoor.com

Retractable Insect Screens

EZ Euro Screen

[Standard Type]



Maximum Sizes:


Dimensions (inch)

Single: 196" x 127" (W X H)
 Double: 393" x 127" (W X H)

Dimensions (mm)

Single: 5000 x 3250 (W X H)
 Double: 10000 x 3250 (W X H)

[Expansive Type]



Maximum Size (1 Unit)

196" x 127" (W X H)
 5000 mm x 3250 mm (W X H)


****Virtually Limitless Width****

This system, designed without a bottom track, is ideal for our Freeway Fold system. The screen can slide freely left or right and be positioned anywhere along the track. For extremely wide applications, multiple maximum-width units can be installed.

This system can achieve unlimited width by incorporating multiple free-sliding screens within the same frame.

Retractable Insect Screens

TechRoll Insect Screen



Maximum Sizes:

Dimensions (inch)

Single: 86" x 86" (W X H)
 Double: 173" x 86" (W X H)

Dimensions (mm)

Single: 2200 x 2200 (W X H)
 Double: 4400 x 2200 (W X H)



EZ-FOLD-A-DOOR

Transform Your Space

*

At EZ-FOLD-A-DOOR, we transform spaces with innovative folding systems that set the standard for quality and design. Our commitment to excellence ensures that every system provides seamless transitions and enhances your environment.

